



ANATS: 62069

JABATAN KIMIA
 FAKULTI SAINS
 UNIVERSITI PUTRA MALAYSIA
 43400 UPM SERDANG, Selangor
 Tel.:03-89466776 Fax:0389435380

MAKMAL SPEKTROKOPI GC
 Room No.: G51 BSF

Maklumat/Information: 03-89471448

BORANG PERMOHONAN ANALISIS KROMATOGRAFI GAS

(GC ANALYSIS APPLICATION FORM)

Nama Pemohon (Applicant's Name)		No. Telefon (Phone. No.)	
Fakulti/Jabatan/Makmal (Faculty/Department/Lab)		No. Matrik (Matric No.)	
Nama Penyelia (Supervisor's Name)		Vot Penyelidikan (Research Vat. No.)	
Tandatangan Penyelia (Supervisor's Signature)		Cop (Stamp)	

PERINCIAN MAKLUMAT (DETAIL INFORMATION)

Sample Name/Code: Melting Point/ Boiling Point (°C):

Solvent: Sample Purity:

Sample Background/ Information:

Compounds to be detected:

Type of Capillary Column: (1) High Polar (2) Polar (3) Medium Polar (4) Non Polar

Column's name: Length:m

ID:.....mm

Thickness:micron

Detector: FID/ECD

Sample properties: Toxic/ Carcinogenic/Normal

Oven Temperature Profile:

Initial Temp.(ITP):°C Initial Time (IT):min

Final Temp. (FTP):°C Final Time (FT):min

Heating Rate (PR):°C/min

Injector Temp.:°C

Detector Temp.:°C

KEGUNAAN PEJABAT / OFFICE USE

Tarikh terima sampel Date of Received		Tarikh Analisis Lengkap Date of Completion	
Tandatangan & Cop Pegawai Bertugas Signature & Stamp of Person In-Charge			