

--	--

Maklumat (Information): 012-2813 201 (Mdm. Azlina)  
03-9769 1311 (Mr. Naszroul)

**BORANG PERMOHONAN ANALISIS TERMAL**  
(THERMAL ANALYZER ANALYSIS APPLICATION FORM)

<b>Nama Pemohon</b> (Applicant's Name)		<b>No. Telefon</b> (Phone. No.)	
<b>Fakulti/Jabatan/Makmal</b> (Faculty/Department/Lab)		<b>*No. Matrik/Staf</b> (Matric/Staff No.)	
<b>Nama Penyelia</b> (Supervisor's Name)		<b>*No. Vot Peruntukan</b> (Allocation Vot. No.)	
<b>Tandatangan Penyelia</b> (Supervisor's Signature)		<b>Cop</b> (Stamp)	

\*Untuk UPM sahaja (UPM only)

**MAKLUMAT SAMPEL**  
(SAMPLE INFORMATION)

**Sila Tanda (✓) pada Jenis Analisis**  
Please (✓) for types of analysis

<input type="checkbox"/>	<b>TGA (Mettler Toledo)</b>
<input type="checkbox"/>	<b>DSC (Mettler Toledo/Perkin Elmer)</b>
<input type="checkbox"/>	<b>STA (Perkin Elmer)</b>

**Jenis Sampel (Sila nyatakan)** : \_\_\_\_\_  
Types of Sample (Please specify) (i.e.: Polymer, AC, Catalyst, etc.)

**Bentuk Sampel (Sila nyatakan)** : \_\_\_\_\_  
Sample Form (Please specify) (e.g.: Solid, Powder, Liquid, etc.)

**Jenis Gas (Sila nyatakan)** : \_\_\_\_\_  
Type of Gas (Please specify) (Nitrogen/ Oxygen/ Air)

Nama/Kod Sampel Name/Sample's Code	Suhu Maksimum Diperlukan Required Maximum Temp.		Nama/Kod Sampel Name/Sample's Code	Suhu Maksimum Diperlukan Required Maximum Temp.	
	TGA	DSC		TGA	DSC
1.			6.		
2.			7.		
3.			8.		
4.			9.		
5.			10.		

**KEGUNAAN PEJABAT**  
(OFFICE USE)

<b>Tarikh Terima Sampel</b> Date of Sample Received		<b>Tarikh Lengkap Analisis</b> Date of Analysis Completed	
<b>Tandatangan &amp; Cop Pegawai Bertugas</b> Signature & Stamp of Officer In-Charge			